INSTALLATION INSTRUCTIONS

PART#PW032591

NUDGE BAR FOR MIT DELICA D:5 07-18






Before Installation








- Please read the instruction completely for easy installation, which will also help you to avoid scratches or other potential damages to your appealing car.
- The figures here are for reference only and may have differences with the actual product you received, however they share the same assembly way.

Care and Cleaning

- Mild soap may be used also to clean the Product.
- Please periodically check and retighten all the hardware and clean the investment for a refresh look.

Parts list


NO.	QTY	PIC	NO.	QTY	PIC
	1	 Nudge bar		1	 License plate bracket
	4	 Thick washer		1	 L.bracket
	1	 R.bracket		6	 SPRING WASHER D10

	2	 HEX NUT M10*50		4	 WASHER D10
	4	 HEX NUT M10		4	 HEX NUT M10*35
	6	 LARGE WASHER D10		2	 LARGE WASHER D6
	2	 HEX NUT M6		2	 HEX NUT M6*20
	2	 SPRING WASHER D6		2	 WASHER D6

Installation

INSTALLING PICTURE

INSTALLATION INSTRUCTIONS



Step 1：Verify that all parts are present according to the manual.Step 2： Install the grille guard and brackets to the vehicle follow installing picture.

Step 3：Test and make sure that the grille guard is steadily fixed，fully tighten all hardware.

Step 4：Installation is finished，pick up all tools.

Any damages and losses caused by improper installation and application, goes beyond our quality warranty.